

metabo[®]
work. don't play.

NEW!

Non-Locking Paddle Switch Grinders



METAL MASTERS



The Metabo 3-year warranty
Register online at: www.metabo.com/xxl

Metal Masters...

Higher Productivity > Longer Life > Increased Safety

Increased Safety -

- *Ergonomic non-locking paddle switch* **NEW!**
- *Metabo "S" Automatic safety slip clutch*
- *Secure "Racket" grip*
- *Anti-vibration side handle*

Longer Life -


- *"Long Life" motor*
 - *Electronic overload protection**
 - *14 layers of insulation*
 - *Winding protection grid*
 - *Epoxy resin coated/high purity copper windings*
- *Extreme dust protection*
 - *Double lipped labyrinth sealed bearings*
 - *Encapsulated switch and carbon brushes*

Higher Productivity -

- *Highest efficiency power transfer*
 - *Production matched gears*
- *Easy tool-less lockable guard positions*
- *Electronic speed stabilization (WEP14-150 Quick)*

Metal Masters...

Higher Productivity > Longer Life > Increased Safety



Non-Locking Paddle Switch Grinders

Available in 4 1/2", 5" & 6"



Model No. Order No.	WP8-115 Quick #600267420	WP8-125 Quick #600268420	WP11-125 Quick #600279420	WP11-150 Quick #600280420	WEP14-150 Quick #600290420
Current Interruption protection					•
Tacho constamatic (TC) electronic speed stabilization					•
Electronic winding temperature monitor w/LED display					•
Electronic soft start feature					•
AC/DC switch	•	•	•	•	
Quick wheel change system	•	•	•	•	•
Non-locking paddle switch	•	•	•	•	•
Low profile aluminum die-cast gear housing	•	•	•	•	•
Toolless QUICK positioning guard adjustment	•	•	•	•	•
2-position side handle	•	•	•	•	•
Metabo slip clutch	•	•	•	•	•
Auto-stop carbon brushes	•	•	•	•	•
Winding protection grid	•	•	•	•	•
Maximum Torque	19.5 inch lbs	19.5 inch lbs	26.9 inch lbs	29.2 inch lbs	31 inch lbs
Maximum wheel diameter	4 1/2"	5"	5"	6"	6"
No-load speed (RPM)	10000	10000	10000	9000	9000
Amps	8.0	8.0	9.6	9.6	12.2
Rated input watts	800	800	1100	1100	1400
Arbor size	7/8"	7/8"	7/8"	7/8"	7/8"
Spindle thread	5/8"-11	5/8"-11	5/8"-11	5/8"-11	5/8"-11
Tool weight	5.3 lbs.	5.4 lbs.	5.6 lbs.	5.9 lbs.	6.1 lbs.
Shipping weight	6.2 lbs.	6.3 lbs.	6.5 lbs.	6.8 lbs.	7.6 lbs.
Length	11.75"	11.75"	12.25"	12.25"	12.25"
Carrying case	344453610 (optional)	344453610 (optional)	344453610 (optional)	656304000 (optional)	656304000 (optional)
Standard Equipment	Side Handle - (314000970) Wheel Guard - (339202990) Inner Flange - (341031290) Outer Nut - (316023840)	Side Handle - (314000970) Wheel Guard - (339203010) Inner Flange - (341031290) Outer Nut - (316023840)	Side Handle - (314000970) Wheel Guard - (339203010) Inner Flange - (341031290) Outer Nut - (316023840)	Side Handle - (314000970) Wheel Guard - (339203020) Inner Flange - (341031290) Outer Nut - (316023840)	Side Handle - (314000970) Wheel Guard - (339203020) Inner Flange - (341031850) Outer Nut - (316023840) Flange Kit - (316037200)

Metabo Canada
Toll Free : 1-877-metabo1
(1-877-638-2261)
www.metabo.ca

metabo[®]
work. don't play.